

INSULATOR PINS


INDEX

DULHUNTY POWER

INSULATOR PINS

SECTION K

Insulator pins.....Page K-2





INSULATOR PINS

SECTION K

INSULATOR PINS

DULHUNTY POWER


Pin type	Cantilever Minimum failing load kN	Shank			Minimum collar diameter mm	Stem length mm	Head pattern
		Diameter mm	Length mm	Thread length Minimum mm			
		A	B	C	D	E	
B/100/3.5	3.5	16	140	50	40	100	B
A/130/7	7	20	165	80	50	130	A
C/150/7	7	20	165	80	60	150	C
C/150/11	11	24	165	80	60	150	C
C/200/11	11	24	165	80	65	200	C
C/300/7	7	24	165	80	75	300	C
SWANECK	3.5	12	125	75	35	100	B



SWANECK


Design Reference: AS 1154

Material: Galvanized Steel
Lead or Plastic heads available



DULHUNTY POWER

Dulhunty Power (Aust) Pty Ltd
Unit 2/35 Waterloo Road, North Ryde
Sydney NSW 2113, Australia
Telephone: + 61 2 9870 7277
Facsimile: + 61 2 9870 7299
Email: sales@dulhunty.com
Web: www.dulhuntypower.com



Dulhunty Power (China) Ltd
3303#, Zhuan Qiao, Jiangdu
Jiangsu, 225233 P.R.C.
Telephone: + 86 514 6842 462
Facsimile: + 86 514 6842 463
Email: sales@dulhuntychina.com
Web: www.dulhuntypower.com

Dulhunty Power North America
14262 Fred and Al Key Rd.
Kiln, Ms. 39556
United States of America
Telephone +1 (228) 467-8075
Email: brandi@dulhunty.com

Dulhunty Power (N.Z.) Ltd
PO Box 281
Whangaparaoa
Auckland New Zealand
Telephone + 64 9 424 7295
Facsimile: + 64 9 428 0577
Email: brian@dulhunty.com
Web: www.dulhuntypower.com

Dulhunty Power (Malaysia) Sdn. Bhd.
Lot 8040, Jalan 2/D Kg. Baru Subang
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Telephone + 603 7843 0488
Facsimile: + 603 7843 0433
Email: enquiry@dulhunty.com.my
Web: www.dulhuntypower.com

Dulhunty Power (Thailand) Ltd
3/2 Moo 7, Suwintawong Road
Klongluangphang, AmphurMuang
Chachoengsao 24000, Thailand
Telephone + 66 3884 5675
Facsimile: + 66 3884 5674
Email: pana@dulhunty.com
Web: www.dulhuntypower.com